

104

MATERIAL SAFETY DATA SHEET:

DS NO. **BM300-L**

DATE: 9/23/97

PAGE 1 OF 3

ABATEMENT TECHNOLOGIES, INC.
1705 BELLE MEADE COURT, #160
LAWRENCEVILLE, GA 30043

PHONE: (770) 339-2600
FAX: (770) 339-2601

=====
SECTION #1: PRODUCT IDENTIFICATION
=====

Product Name: BIO-MIGHT 300-L
Description: Lead Absorbing Concentrate

Hazard Rating (HMIS): Health = 1 Flammability = 0 Reactivity = 0
4= EXTREME, 3= HIGH, 2= MODERATE, 1= SLIGHT, 0= INSIGNIFICANT,
*= CRONIC HEALTH HAZARD

=====
SECTION #2: HAZARDOUS INGREDIENT INFORMATION
=====

HAZARDOUS COMPONENTS	ACGIH
CHEMICAL IDENTITY;	CAS# PPM MG/M3 TLV/OSHA PEL %OPTIONAL
COMMON NAMES	

There are no hazardous products according to OSHA 1910. 29CFR hazardous materials guidelines.

=====
SECTION #3: PHYSICAL/CHEMICAL CHARACTERISTICS
=====

BOILING RANGE: 212F	SPECIFIC GRAVITY (WATER=1) 1.09 C
VAPOR PRESSURE (mm hg): 17@20C	MELTING POINT: N/A
VAPOR DENSITY, (AIR=1): >1	EVAPORATION RATE (BUTYLACETATE=1): <1
SOLUBILITY IN WATER: COMPLETE	PERCENT VOLATILE: N/A
pH: 3.7-4.8	
APPEARANCE AND ODOR: AMBER LIQUID, ODORLESS	

=====
SECTION #4 FIRE AND EXPLOSION DATA
=====

LEL:N/A UEL: N/A

FLASH POINT, (METHOD USED): NO FLASH AT BOIL LIMITS:
EXTINGUISHING MEDIA: CO2; WATER FOG; DRY CHEMICAL; CHEMICAL FOAM

FIRE FIGHTING PROCEDURES: KEEP DRUMS COOL WITH WATER SPRAY TO PREVENT DRUM RUPTURE DUE TO STEAM BUILDUP; FLOOR WILL BECOME SLIPPERY IF MATERIAL IS RELEASED.

UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE

SECTION #5: REACTIVITY DATA

STABILITY DATA: STABLE CONDITIONS TO AVOID: EXTREME TEMP.
INCOMPATIBILITY (MATERIALS TO AVOID): AVOID STRONG ACIDS/STRONG OXIDIZERS
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: THERMAL DECOMPOSITION MAY YIELD C02
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR CONDITIONS TO AVOID: N/A

SECTION #6 HEALTH HAZARD DATA

ROUTES OF ENTRY-SIGNS AND SYMPTOMS

EMERGENCY AND FIRST AID

INHALATION:
NO IRRITATION EXPECTED

REMOVE TO FRESH AIR; IF
SYMPTOM PERSIST, SEEK MEDICAL
ATTENTION.

SKIN:
PROLONGED CONTACT MAY CAUSE SLIGHT
IRRITATION, AND/OR DRY THE SKIN

REMOVE CONTAMINATED CLOTHING;
WASH AREA WITH WATER; IF IRRI-
TATION PERSISTS SEEK MEDICAL
ATTENTION.

EYES:
CONTACT WITH EYS MAY CAUSE IRRITATION

FLUSH WITH WATER FOR 15MIN IF
IRRITATION PERSISTS, SEEK
PHYSICIAN

INGESTION:
MAY CAUSE GASTRIC DISTRESS, VOMITING
DIARRHEA

DO NOT INDUCE VOMITING,
CONTACT PHYSICIAN IMMEDIATELY

HEALTH HAZARDS (ACUTE AND CHRONIC):
ACUTE EFFECTS ARE POSSIBLE IRRITATION AND DISCOMFORT; NO KNOWN CHRONIC
EFFECTS HAVE BEEN ESTABLISHED
CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE; PREEXISTING SKIN, EYE
OR RESPIRATORY DISORDERS MAY BECOME AGGRAVATED THROUGH PROLONGED EXPOSURE.

SECTION #7: PRECAUTIONS FOR SAFE HANDLING AND USE

SMALL SPILLS: WASH TO SANITARY SEWER WITH PLENTY OF WATER.
LARGE SPILLS: CONFINE SPILL, SOAK UP WITH APPROVED ABSORBANT, SHOVEL
PRODUCT INTO APPROVED CONTAINER FOR DISPOSAL. WASH AREA WITH PLENTY OF
WATER.

WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: KEEP CONTAINER CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM ABUSE AND EXTREME TEMPERATURES. OTHER PRECAUTIONS: KEEP THIS AND OTHER CHEMICALS OUT OF THE REACH OF CHILDREN. MINIMIZE BODY CONTACT WITH THIS PRODUCT AND ALL CHEMICALS.

SECTION #8: CONTROL MEASURES

- RESPIRATOR PROTECTION: NONE REQUIRED
- VENTILATION: NONE REQUIRED
- PROTECTIVE GLOVES: RUBBER OR NEOPRENE FOR PROLONGED EXPOSURE
- EYE PROTECTION: SAFETY GLASSES W/SIDE SHIELDS
- OTHER PROTECTIVE EQUIPMENT: N/A
- WORK/HYGIENIC PRACTICES: EXHIBIT NORMAL SAFE WORKPLACE HABITS

SPECIAL PRECAUTIONS / OTHER COMMENTS

The information contained herein is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonably safety procedures are not adhered to as stipulated in the data sheet. Futhermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.